

IN THE CLAIMS

Please amend the claims to read as indicated below.

1. (currently amended) A system ~~for look and feel on a Unix platform~~, comprising:

a computer system having a graphical user interface (GUI);

a module that provides a plurality of preferred icons for a component of said GUI that are distinct according to a selection property and an enablement property; and

a software component executable on said computer system to override a plurality of default icons for said component with said preferred icons; and

a module that presents said preferred icons for display on said GUI in place of said default icons.

2. (original) The system according to claim 1, wherein said software component runs during initialization.

3. (original) The system according to claim 1, wherein said component is a checkbox.

4. (original) The system according to claim 3, wherein said checkbox has a selected property and an enabled property and is rendered on said GUI as a square filled with white and a black check inside said square.

5. (original) The system according to claim 3, wherein said checkbox has a selected property and a disabled property and is rendered on said GUI as a square filled with gray and a black check inside said square.

6. (original) The system according to claim 3, wherein said checkbox has a unselected property and an enabled property and is rendered on said GUI as a square filled with white.

7. (original) The system according to claim 3, wherein said checkbox has a unselected property and a disabled property and is rendered on said GUI as a square filled with gray.

8. (currently amended) A method ~~for look and feel on a Unix platform~~, comprising:

providing a plurality of preferred icons for a component of a graphical user interface that are distinct according to selection and enablement properties; ~~and~~

overriding a plurality of default icons for said component with said preferred icons; and

presenting said preferred icons for display on a graphical user interface in place of said default icons.

9. (original) The method according to claim 8, wherein said selection property is an indication of user selection of said component.

10. (original) The method according to claim 8, wherein said enablement property is an indication of whether editing of said component is permitted.

11. (original) The method according to claim 8, wherein said component is a checkbox.

12. (original) The method according to claim 8, wherein said checkbox is within a second component.

13. (original) The method according to claim 12, wherein said second component is a table.

14. (currently amended) A computer-readable medium ~~having comprising~~ computer-executable instructions for performing a method, ~~comprising that includes:~~
providing a plurality of preferred icons for a component of a graphical user interface that are distinct according to selection and enablement properties; ~~and~~
overriding a plurality of default icons for said component with said preferred icons; and
presenting said preferred icons for display on a graphical user interface (GUI) in place of said default icons.

15. (original) The computer-readable medium according to claim 14, wherein said component is a checkbox.

16. (original) The computer-readable medium according to claim 14, wherein said checkbox has a selected property and an enabled property and is rendered on said GUI as a square filled with a light color and a dark-colored check inside said square.

17. (original) The computer-readable medium according to claim 14, wherein said checkbox has a selected property and a disabled property and is rendered on said GUI as a square filled with a medium color and a dark-colored check inside said square.

18. (original) The computer-readable medium according to claim 14, wherein said checkbox has a unselected property and an enabled property and is rendered on said GUI as a square filled with a light color.

19. (original) The computer-readable medium according to claim 14, wherein said checkbox has a unselected property and a disabled property and is rendered on said GUI as a square filled with a medium color.